

It's a way of life...

Contents

The traditional American front porch... it's where we welcome friends and family into our home. It's where we sit and enjoy their company. It's the place where we go to escape the stress of daily life and take the time to sit back, relax, and enjoy life.

The last thing you want to worry about is the work required to keep your porch beautiful, and that's where HB&G can offer you the solution of a lifetime.

HB&G offers a wide variety of porch products to help you create the design that best suits your way of life.


Best of all, many of our products require little or no maintenance and come with a lifetime warranty.


The following pages include everything you need to know to build a beautiful, enduring structure that will improve the quality of your life.

The Quality of Life.

In today's fast paced world, few of us have extra time to spend. HB&G understands that. That's why our porch products are the easiest to install and require little to no maintenance. Additionally, with our PermaCast® products you will not have to waste time replacing them... not today, or even years from now. Let the quality of our beautiful porch products improve the quality of your life.







Selection

HB&G offers the widest selection of porch products available on the market. With a variety of sizes and styles, HB&G has the porch accessories to meet the needs of any project.

Ease of Use

Time is money, and with HB&G products, not only do you save time on the installation, you'll also save a considerable amount of money maintaining your porch accessories over the lifetime of the product.

Many of the HB&G products can be installed in ¹/₃ of the time of traditional wood products.

Warranty

1	Yr.	10	Yr.	25	Yr.	Limited	Lifetime
PermaCast® *							
PermaLite®							
PermaWrap [®]							
PermaPorch® Railing							
PermaPost®							
Balustrade							
PermaPorch® Ceiling							
PVC Pergolas							
Fiberglass Pergolas							
Wood Columns							
Builder Select Railing							
PermaSnap™							

*Excludes Split Columns









The PermaPorch® Package

It's an effective way to coordinate all of your porch accessories. At HB&G, you will find an entire line-up of products that are made to work together, creating a beautiful, seamless, and cost-effective addition to your home. Enjoy the lasting beauty of columns or posts, a railing or balustrade system, medallions, brackets, and PermaPorch® Ceiling, all from the company that is setting new standards in porch products and accessories.

Life, Liberty, and the Pursuit of Happiness.

Products to match your lifestyle, liberty from on-going maintenance, and time to spend pursuing the finer things

in life are all obtainable through our wide selection of high-quality products for your porch or deck.





- Weather Proof
- Insect Proof
- Load Bearing
- Low Maintenance
- Ready to Prime and Paint
- Limited Lifetime Warranty
- Custom Fluting Available



Architectural Accuracy

In the first century B.C., Vitruvius, a Roman architect and engineer, wrote what has become the most influential work on classic form. In it, he elaborates on the discovery by the ancient Greeks of entasis, a gradual tapering of the upper two-thirds of the round column which offsets the undesirable illusion from eye level that the column shaft grows larger as it ascends. HB&G round columns hold true to this classic form.

HB&G PermaCast® Columns are available in round or square. The round columns are fluted, or plain, with or without the classic tapering of the upper two-thirds of the column. Square columns are available in a variety of styles as well, including plain or fluted, applied panel,

recessed panel, or the craftsman style column. The PermaCast® capitals and bases are made from durable low-maintenance materials, and like the columns, they maintain architectural authenticity and historical accuracy.





Round **PERMA**Cast® Columns

<u>Ro</u>	UN	<u>D</u> P	ERM	1AC	CAST	r® (Col	UM	n D	ІМІ	ENS	ION	s (n	ı İn	iches)*
COL. SIZE	A	В	С	D	Е	F	G	J	K	L	О	N	R	Т	LENGTH AVAIL (ft)
6"	5%"	45/8"	9"	17/16"	15/16"	%16"	3/4"	11/4"	1%"	8"	1"	61/4"	35/16"	47/16"	4,6,8
8"	75/8"	61/4"	10½"	17/8"	1¾"	3/4"	3/4"	1¼"	1½"	91/4"	1/2"	21/4"	43/8"	4½"	5,6,87.0
10"	95/8"	81/8"	131/8"	23/8"	21/8"	3/4"	3/4"	11/4"	1¾"	111/4"	5/8"	21/4"	51/4"	5"	6,8,9,10,12
12"	11%"	93/8"	16½"	27/8"	23/8"	7∕8"	¹³ / ₁₆ "	1¾"	21/4"	13¾"	3/4"	25/8"	61/8"	5¾"	6, 89,0,12 14,6,8
14"	13%"	11%"	19½"	33/8"	31/8"	11/8"	7∕8 "	2"	2%"	17"	7∕8"	25/8"	75/8"	7"	8 9, 10 12 14 16, 18
16"	15¾"	13%"	221/8"	4"	3½"	11/8"	1"	21/4"	3"	19¾"	1"	3"	85/8"	8"	8,10,12,14,16 18, 20
18"	17½"	15¾"	245/8"	4"	4"	1%"	11/8"	2¾"	31/8"	223/8"	1½"	10¾"	95/8"	87/8"	10,12,14,16,18 20,22,24,26
20"	19½"	17¾6"	27"	4¾"	4½"	2"	17/16"	21/8"	3%"	2415/16"	1½"	10¾"	11¼"	9"	10,12,14,16,18 20,22,24
22"	21%"	19¼"	30¼"	5¾"	47/8"	2"	1%"	3"	3¾"	27½"	1½"	10¾"	12¼"	10¼"	16,18,20,22, 24,26
24"	23%"	21¼"	33½"	5%"	5¼"	23/16"	23/16"	3½"	41/16"	30½"	1½"	10¾"	135/16"	115/16"	12,14,16,18,20, 22,24,26,28,30
28"	28"	241/8"	38"	6¾"	6"	2¾"	21/8"	31/4"	4¾"	33%"	1½"	10¾"	15½"	11¾"	20,22,24,26,28
30"	29%"	26½"	411/8"	6½"	5%"	2½"	31/16"	4"	45/8"	38¼"	1½"	10¾"	14%"	14%"	20,22,24,26,28 30

^{*}There may be a variance of up to 1/4" in all dimensions. Fluted columns available in all diameters. See page 14 for Parallel dimensions. See page 16 for Ornamental Capital dimensions.

Standard Fluted Column (Fluted in mold)

K (Abacus Height) J (Echinus) **←** B — G (Astragal) F (Cincture) D (Plinth) Poly Tuscan Base Plain Column

Poly Tuscan Cap

ROUND & SQUARE PERMACAST® LOAD BEARING SPECIFICATIONS

Split columns are not load bearing.

1	
COLUMN DIAMETER	STRUCTURAL LOAD
6"	8,000 lbs. Max
8"	10,000 lbs. Max
10"	14,000 lbs. Max
12"	18,000 lbs. Max
14"	20,000 lbs. Max
16"	20,000 lbs. Max
18"	20,000 lbs. Max
20"	20,000 lbs. Max
22"	20,000 lbs. Max
28"	20,000 lbs. Max
30"	20,000 lbs. Max

ROUND PERMACAST® INSIDE **DIMENSIONS**

Inside dimension may vary up to 1/8". Splitting a column will decrease inside dimension 1/8"


side difficilsion i	10.	
COLUMN SIZE	TOP I.D.	BOT I.D.
6"	37/8"	47/8"
8"	5½"	67/8"
10"	7¾"	87/8"
12"	8%"	10%"
14"	10%"	12%"
16"	12%"	15"
18"	143/8"	16¾"
20"	16%"	19"
22"	18¼"	20%"
24"	201/4"	225/8"

Inside

28" 22" 261/2" 30" 25¼" 281/8"

SPLIT COLUMN ASSEMBLY KITS

HB&G offers a split column assembly kit that utilizes a mechanical fastening system for easy and secure assembly. This kit can be purchased separately when ordering a factory split column or they can be ordered pre-installed on factory split columns. This kit is available on select sizes.




Abacus Width K J Shaft

PermaCast® No-Taper column with Poly Tuscan cap and base

Shaft

PermaCast® Plain No-Taper column with Poly Tuscan cap and base


Fluted Round **PERMA**Cast® Columns



HB&G OFFERS TWO DISTINCTIVE TYPES OF FLUTES.

Stock Molded Flute: Available in diameters of 8" x 8' – 16" x 12' columns (See price guide for specific lengths available.) The stock molded flute is part of the manufacturing process and cannot be altered.

Custom Flute: The custom flute is milled after the column is manufactured and can be modified to your specific length. All round PermaCast® columns, 6"x 4' – 30"x 30', are available with an optional custom flute. (Call a customer service representative for pricing and lead times.) Adjusted Flutes available.



Round No-Taper **PERMA**Cast® Columns


ROUND NO-TAPER PERMACAST® COLUMN DIMENSIONS (IN INCHES)

Col. Size	A	В	С	D	Е	F	G	J	K	L	Length Avail. (ft.)
8"	7 ⁵ /8"	7 ⁵ /8"	10 ¹ /2"	1 ⁷ /8"	13/4"	3/4"	3/4"	1 ¹ /4"	11/2"	10 ⁵ /8"	6,8,9,10
10"	9 ⁵ /8"	9 ⁵ /8"	13 ¹ /8"	23/8"	21/8"	3/4"	3/4"	1 ¹ /4"	1 ³ /4"	12 ¹³ /16"	6,8,9,10,12
12"	11 ⁵ /8"	11 ⁵ /8"	16 ¹ /2"	27/8"	23/8"	⁷ /8"	¹³ / ₁₆ "	1 ³ /4"	2"	15 ⁷ /8"	6,8,9,10,12
14"	13 ⁵ /8"	13 ⁵ /8"	19 ¹ /2"	3 ³ /8"	31/8"	1 ¹ /8"	⁷ /8"	21/4"	3"	19 ¹ /8"	6,8,9,10,12,14
16"	15 ³ /4"	15 ³ /4"	221/8"	4"	31/2"	1 ¹ /8"	1"	21/4"	23/4"	22"	6,8,9,10,12,14,16,18,20
18"	17 ¹ /2"	17 ¹ /2"	24 ⁵ /8"	4"	4"	1 ⁵ /8"	1 ¹ /8"	23/4	31/8"	24 ⁵ /8"	6,8,9,10,12,14,16,18,20
24"	24"	24"	331/2"	53/4"	5 ¹ / ₄ "	23/16"	23/16"	31/2"	41/8"	33 ³ /8"	8,10

Neck mould not included.

Flashing and Installation Kit not available with No-Taper Tuscan cap and base sets.

Neck Mould for No-Taper Column – Sold Separately



Square **PERMA**Cast® Columns

SQUARE PERMACAST® INSIDE DIMENSIONS


Inside dimensions may vary up to 1/s". Splitting a column will decrease inside dimension 1/s".


COL. SIZE	INSIDE
6"	51/4"*
8"	6 ⁷ /8"
10"	9"
12"	11"
14"	12"
1.6"	1 /3/ "



*Inside is Round

Panel Moulding for Square Permacast®





with Poly Tuscan Cap

and Base.

SQUARE PERMACAST® COLUMN DIMENSIONS (In Inches)*

with Poly Tuscan Cap

and Base.

Column Size	A	С	D	E	F	G	J	K	L	N	O	R	Lengths Available (ft.)
6"	6"	9½"	1%"	1%6"	%6"	1"	1¼"	1¾"	9½"	N/A	N/A	3%6"	6,8,9,10
8"	8"	111%"	1%"	1¾"	5/8"	1"	1¾"	1¾"	1015/16"	4"	31/8"	4¼"	6, <mark>8,9,10,</mark> 12
10"	10"	131/16"	2¼"	23/16"	3/4"	1"	1¼"	113/16"	12¾"	4"	41/8"	5¾6"	51",6,8,9, <mark>10</mark> ,12 14,16
12"	12"	16%6"	213/16"	2¾"	⅓"	1"	1¾"	21/16"	1611/16"	N/A	N/A	61/16"	8,9,10,12,14,16,18
14"	14"	193/8"	31/8"	27/8"	11/16"	11/8"	21/16"	21/2"	191/16"	N/A	N/A	79/16"	8,10,12
16"	16"	221/8"	37/8"	33/8"	11/8"	11/8"	23/8"	23/4"	211/2"	N/A	N/A	83/8"	8,10,12,14 16,18,20

Fluted Square. *There may be a variance of up to 1/4" in all dimensions. See page 16 for Ornamental Capital dimensions.

Versatility of Square Columns

The design and versatility of an HB&G square column has enhanced its popularity with today's architects. The HB&G Square PermaCast® column lineup includes plain, recessed panel, and fluted styles. An unlimited combination of styles can be achieved by various uses of the panel moulding, neck moulding, and caps and bases. Additionally, the square column is not tapered and can be cut to any height without affecting the fit of the caps and bases.

Recessed Panel **PERMA**Cast® Columns

RECESSED PANEL INSIDE DIMENSION

Inside dimension may vary up to $^1/_s$ ". Splitting a column will decrease inside dimension $^1/_s$ ".

Col. Size	Inside
8"	55/8"
10"	71/2"
12"	91/2"
14"	11"




RECESSED PANEL LOAD BEARING SPECIFICATIONS

(SPLIT COLUMNS ARE NOT LOAD BEARING)

NOTE: Factory split recessed columns are not available. HB&G does not recommend splitting recessed columns.

Column Diameter	Structural Load
8"	10,000
10"	14,000
12"	18,000
14"	20,000




Square Column with Poly Tuscan Cap and Base

SQUARE RECESSED PANEL PERMACAST® COLUMN DIMENSIONS (In Inches)*

Column Size	A	С	D	E	F	G	J	K	L	N	0	R	s	Recess Depth	Lengths Available
8"	8"	111//8"	1%"	1¾"	5/8"	1"	1¾"	13/8"	1015/16"	12"	7"	41/4"	1½"	1/2"	8,9,10
10"	10"	131/16"	2¼"	23/16"	3/4"	1¼"	1¼"	113/16"	12¾"	14½"	8½"	53/16"	1½"	1/2"	8,9,10
12"	12"	16%"	213/16"	2¾"	⁷ /8"	1¼"	1¾"	21/16"	1611/16"	18"	10½"	61/16"	21/4"	%6 "	8,9,10,12,14
14"	14"	19¾"	35/8"	2 %"	11/16"	1½"	21/16"	2½"	191/16"	21"	121/4"	7%;"	25/8"	3/4"	8,10,14

See page 16 for Ornamental Capital dimensions.









CRAFTSMAN INSIDE DIMENSION

Inside dimension may vary up to 1/8". Splitting a column will decrease inside dimension 1/8".


Column Size	Тор	Bottom
10" x 5 ¹ / ₂ "	41/2"	9"
$10^{1}/4$ " x $7^{1}/2$ "	61/2"	91/4"
12" x 10"	9"	11"
14" x 12"	11"	13"
16" x 9"	8"	15"



CRAFTSMAN LOAD BEARING SPECIFICATIONS

(Split Columns are not load bearing.)

Column Diameter	Structural Load
10" x 5 ¹ /2"	10,000
10 ¹ /4" x 7 ¹ /2"	10,000
12" x 10"	14,000
14" x 12"	14,000
16" x 9"	14,000



Craftsman Column Dime	ENSIONS (IN INCHES)
-----------------------	---------------------

	A	В	С	D	E	F	G	J	K	L	R	LENGTH
10" x 5 ¹ / ₂ "	10"	51/2"	13"	21/2"	23/8"	11/16"	1"	13/8"	13/8"	95/8"	57/8"	66"
10 ¹ / ₄ "x 7 ¹ / ₂ "	101/4"	71/2"	131/2"	23/8"	21/4"	3/4"	1"	1"	1"	101/4"	53/8"	7'
12" x 10"	12"	10"	169/16"	21/2"	21/2"	11/16"	1"	13/8"	13/8"	123/4"	61/16"	6', 10'
14" x 12"*	14"	12"	183/4"	33/8"	3"	1"	1"	15/8"	2"	171/8"	73/8"	9'
16" x 9"	16"	9"	183/4"	21/2"	21/2"	11/16"	1"	13/8"	13/8"	131/4"	61/16"	58"
16" x 9"	16"	9"	191/16"	21/2"	21/2"	11/16"	1"	13/8"	13/8"	131/4"	61/16"	6', 8'

*Has $^1/_3$ " to $^2/_3$ " taper, neck mould is part of shaft and not applied. Flashing and Installation Kit is not available for Craftsman Columns with Poly Tuscan cap and base sets.



Painting Instructions

Painting instructions for round and square PermaCast® columns:

- Rinse
- Prime with high quality exterior latex primer or use an oil-based primer in accordance with paint manufacturer's instructions. A light coat of primer should be applied and allowed to cure fully.
- Paint evenly with several light coats over column with a high quality exterior latex or oil-base (if primer is used) in accordance with paint manufacturer's instructions.
- Do not paint PermaCast® columns using dark colors (dark colors are considered any color that falls within the L value of 56 to 0). L is a measure of lightness of an object and ranges from 0 (black) to 100 (white).

Fire Retardant

All HB&G PermaCast® columns are fire retardant. This feature has been tested by code certified laboratories to ensure its fire performance characteristics.

Tips

- ✓ When ordering an ornamental capital order the appropriate base for the column.
- ✓ Ornamental capitals for square PermaCast® slide over the shaft and do not use a plug. These ornamental capitals will not lengthen or shorten the height of the column.
- ✓ When installing an ornamental capital on fluted or recessed panel, square columns, the capital slides over the shaft. The taller capitals will cover the flutes and require additional caulking to finish.
- ✓ Verify exact opening measurement prior to ordering column length.
- ✓ When installing a PermaCast® column, verify concentric loading of column. 100% of bottom must contact substrate and 75% of top must contact soffit.
- ✓ When attaching hand rails or corner iron to PermaCast® columns, holes must be pre-drilled before applying screws.
- ✓ When ordering panel moulding for square PermaCast® columns, make sure to order enough for four sides of the column.
- ✓ Split columns are left partially intact. Cut with masonry or carbide tip blade.
- ✓ Custom split columns, caps, and bases are nonrefundable.


Splitting Options







HB&G's number one goal is finding ways that we can save you time and make your life easier.



PermaCast® PermaFlashing and Installation Kit

The PermaCast® flashing and installation kit is available in selected Tuscan cap and base sets.*

This innovation will not only save time but will keep the elements out of the column and secure the top and bottom of the column.

*Not available in Tuscan cap and base sets for Craftsman, No-taper, PermaLite®, and Wood columns.



Round PermaCast® Porch Installation Bracket

The HB&G Porch Installation Bracket includes the bracket and all required hardware. The bracket fits 20" - 30" Plain Round PermaCast®



Columns and will secure a 2nd story porch to our PermaCast® Columns. Three brackets are required for each column.



Parallel Dimensions										
Column Size	Parallel Dim.	Column Size	Parallel Dim.							
6x4	0"	18x18	60"							
6x6	8"	18x20	84"							
6x8	32"	18x22	49"							
8x5	12"	18x24	73"							
8x6	24"	18x26	97"							
8x8	32"	20x10	0"							
8x9	28"	20x12	0"							
8x10	40"	20x14	0"							
10x6	8"	20x16	4"							
10x8	32"	20x18	28"							
10x9	28"	20x20	52"							
10x10	40"	20x22	76"							
10x12	48"	20x24	100"							
12x6	8"	22x16	45"							
12x8	32"	22x18	69"							
12x9	8"	22x20	93"							
12x10	32"	22x22	53"							
12x12	48"	22x24	77"							
12x14	59"	22x26	101"							
12x16	40"	24x12	21"							
12x18	73"	24x14	45"							
14x8	32"	24x16	69"							
14x9	12"	24x18	93"							
14x10	24"	24x20	75"							
14x12	48"	24x22	99"							
14x14	27"	24x24	123"							
14x16	51"	24x26	77"							
14x18	75"	24x28	101"							
16x8	16"	24x30	125"							
16x10	40"	28x20	20"							
16x12	29"	28x22	44"							
16x14	53"	28x24	68"							
16x16	36"	28x26	92"							
16x18	60"	28x28	116"							
16x20	84"	30x20	56"							
18x8	0"	30x22	80"							
18x10	16"	30x24	140"							
18x12	40"	30x26	75"							
18x14	48"	30x28	99"							
18x16	36"	30x30	123"							


Column Size	Bottom Diameter
6x4	53/8"
18x8	171/4"
20x10	1811/16"
20x12	185/16"
20x14	191/4"

PERMA Capitals and Bases

Choosing the right cap and base for your columns is as important as the selection of the column itself. The right cap and base can define the style of the front porch and create an atmosphere that complements your lifestyle. The cap and base options offered by HB&G are shown on page 7. Please refer to the following data that corresponds with your cap and base selection to ensure that you end up with the products that work best for you. Our polyurethane caps and bases are PermaPrimed.

CAPITAL AND BASE OPTIONS

Capitals and bases for PermaCast® columns are made of polyurethane and are decorative. The shaft fits through the center of the capital and base and does not alter the height of the shaft. Ornamental capitals for round PermaCast® columns will alter the height of the shaft.



TUSCAN CAP AND BASES

The Tuscan style is standard and best complements the PermaCast® column. The Tuscan is available for all round and square shafts. For dimension see pages 8, 9, 10, and 16.

ORNAMENTAL CAPITAL

Five styles of ornamental capitals are available for all round and square shafts. Using an ornamental capital with a round PermaCast® shaft will alter the height of the shaft. Ornamental capitals do not alter the height of the shaft when used on a square PermaCast® Column.

ATTIC BASE


Attic Bases are used for a more ornate look and come in 1 or 2 pieces depending on their size.


COLONIAL CAP AND BASE


Referred to as our low profile capital and base, the Colonial is approximately 1/2 the size of the Tuscan. It does not provide architecturally correct dimensions and should only be used when aesthetics are not a priority. Only available for ROUND PermaCast® shafts 6" - 12".


FIBERGLASS BASE


The fiberglass base is manufactured from the same materials as the shaft and is available for Round PermaCast® shafts 8" - 14" only. It is designed to be used in high traffic areas.











DIMENSIONS OF ATTIC BASE FOR ROUND AND SQUARE COLUMNS

COLUMI	I	ROUND	ATTIC		COLUMN SIZE	s	QUARI	E ATTIC	:
	С	DD	EE	R		С	DD	EE	R
6"	85/16"	13/8"	2¾"	4½"	6"	87/16"	13/8"	21/8"	41/4"
8"	101/8"	1%"	3¼"	51/8"	8"	11"	1%"	31/4"	51/8"
10"	13"	2½"	3%"	63/8"	10"	13%	23/8"	4"	63/8"
12"	161/8"	3"	4½"	7½"	12"	17"	2¾"	41/2"	71/4"
14"	191/4"	3%"	5%"	83/4"	N/A	N/A	N/A	N/A	N/A
16"	21¾"	4"	6½"	10½"	16"	223/8"	4"	65%"	10%"
18"	25"	43/8"	71/4"	11%"	N/A	N/A	N/A	N/A	N/A
20"	2711/16"	47/8"	81/4"	131/8"	N/A	N/A	N/A	N/A	N/A
22"	301/4"	53%"	91/4"	14%"	N/A	N/A	N/A	N/A	N/A
24"	33½"	6"	101/4"	161/4"	N/A	N/A	N/A	N/A	N/A
28"	38"	63/4"	113/8"	181/8"	N/A	N/A	N/A	N/A	N/A
30"	411/4"	61/2"	111/4"	173/4"	N/A	N/A	N/A	N/A	N/A

CROWN CAP FOR SQUARE COLUMN DIMENSIONS

Column Size	K	J	L
6"	19/16"	25/16"	11 ¼"
8"	19/16"	25/16"	13 ¼"
10"	19/16"	25/16"	15 ¼"
12"	19/16"	25/16"	17 ¼"

DORIC CAP AND BASE DIMENSIONS

	Column Size	С	D	E	F	J	K	L	R
I	8"	103/8"	17/8"	15/8"	⁷ /8"	1"	13/8"	10"	47/16"
	10"	1215/16"	23/8"	21/16"	11/8"	15/16"	111/16"	121/2"	59/16"
	12"	151/2"	27/8"	21/2"	13/8"	19/16"	2"	15"	611/16"
I	14"	18 ¹ /8"	315/16"	27/8"	19/16"	113/16"	23/8"	171/2"	713/16"
	16"	207/8"	33/4"	3"	21/4"	19/16"	23/4"	201/2"	9"
ſ	18"	231/4"	4"	31/2"	21/2"	13/4"	3"	231/8"	10"

COLONIAL CAP AND BASE DIMENSIONS*

Col. Size	С	D	E	F	J	K	L	R
6"	71/4"	13/8"	11/4"	1/4"	1"	11/4"	7"	2 7/8"
8"	91/8"	11/2"	15/16"	1/4"	11/16"	13/8"	9"	3"
10"	113/16"	11/2"	11/4"	1/4"	11/16"	13/8"	109/16"	3"
12"	131/8"	11/2"	11/4"	1/4"	11/16"	13/8"	12"	3"

*Low profile option.

CAPITAL DIMENSIONS FOR ROUND AND SQUARE COLUMNS (IN INCHES)


Siz	e of Columns	(ó"	8	3"	1	0"	1	2"	14"	1	.6"	18"	20"	22"	24"	28"	30"
	neter at bottom of shaft)	ROUND	SQUARE	ROUND	SQUARE	ROUND	SQUARE	ROUND	SQUARE	ROUND	ROUND	SQUARE	ROUND	ROUND	ROUND	ROUND	ROUND	ROUND
Roman Ionic	Height Abacus Projection O/S to O/S Inside Dia.*	N/A	3 ¹³ / ₁₆ " 10 ¹ / ₈ " 3 ¹ / ₄ " 12 ¹ / ₈ "	3 ¹⁵ / ₁₆ " 8 ¹ / ₈ " 3 ¹ / ₈ " 10 ¹ / ₂ " 2 ⁵ / ₈ "	4 ¹ / ₈ " 11 ¹¹ / ₁₆ " 3" 13 ¹⁵ / ₁₆ "	4" 10 ³ / ₄ " 4 ¹ / ₈ " 13 ⁹ / ₁₆ " 4 ¹ / ₂ "	4 ⁷ / ₈ " 14 ³ / ₄ " 4 ¹ / ₈ " 17 ¹ / ₄ "	4 ⁵ / ₈ " 12 ¹ / ₂ " 5" 16 ¹ / ₂ " 5"	6 ¹ / ₄ " 16 ⁷ / ₈ " 6 ¹ / ₄ " 23 ¹ / ₈ "	5 ⁵ / ₈ " 17 ¹ / ₈ " 7 ⁷ / ₈ " 22 ⁹ / ₁₆ " 11 ¹ / ₂ "	6 ³ / ₄ " 19 ¹³ / ₁₆ " 8" 24 ³ / ₈ " 13 ⁷ / ₈ "	8 ⁷ / ₈ " 26" 8 ¹ / ₂ " 32 ¹ / ₈ "	9 1/2" 25 ¹ / ₄ " 11 ¹ / ₄ " 31 ³ / ₄ " 15 ⁵ / ₈ "	9 ¹ / ₂ " 25 ¹ / ₄ " 11 ¹ / ₄ " 31 ³ / ₄ " 17 ¹ / ₈ "	9 ⁵ / ₁₆ " 25 ³ / ₁₆ " 10" 33" 19 ³ / ₈ "	9 ⁷ / ₁₆ " 26 ³ / ₈ " 9 ⁷ / ₈ " 34" 21 ³ / ₄ "	N/A	N/A
Greek Ionic	Height Abacus Projection O/S to O/S Inside Dia.*	N/A	5 ¹ / ₂ " 11" 4 ⁵ / ₈ " 14 ¹ / ₂ "	4 ¹ / ₈ " 7 ¹⁵ / ₁₆ " 3 ⁵ / ₈ " 11 ⁷ / ₈ " 2 ⁵ / ₈ "	6 ¹ / ₄ " 12 ⁵ / ₈ " 4 ⁷ / ₈ " 17 ⁹ / ₁₆ "	5 ⁵ / ₈ " 10 ¹¹ / ₁₆ " 5" 14 ¹⁵ / ₁₆ " 4 ¹ / ₂ "	6 ³ / ₄ " 16" 5 ⁷ / ₈ " 20 ⁷ / ₈ "	6 ⁹ / ₁₆ " 14 ³ / ₈ " 7 ¹ / ₂ " 20 ¹¹ / ₁₆ " 5"	9 ¹ / ₄ " 17 ³ / ₄ " 7 ¹ / ₄ " 26 ³ / ₈ "	7 " $15^{1}/8$ " $6^{1}/2$ " $20^{11}/_{16}$ " $11^{1}/_{2}$ "	10 ³ / ₈ " 22 ¹ / ₈ " 10 ¹ / ₄ " 29 ¹ / ₄ " 13 ⁷ / ₈ "	11" 26 ¹⁵ / ₁₆ " 10 ³ / ₄ " 36 ³ / ₁₆ "	10 ⁵ / ₁₆ " 22 ³ / ₁₆ " 9 ¹ / ₂ " 29 ¹ / ₈ " 15 ⁵ / ₈ "	11 ³ / ₈ " 25 ¹ / ₄ " 11 ¹ / ₄ " 31 ³ / ₄ " 17 ¹ / ₈ "	13 ⁷ / ₈ " 29" 15 ¹ / ₂ " 43 ¹ / ₂ " 19 ³ / ₈ "	13 ⁷ / ₈ " 29" 15 ¹ / ₂ " 43 ¹ / ₂ " 21 ³ / ₄ "	N/A	19 ¹ / ₄ " 42 ¹ / ₂ " 19 ¹ / ₂ " 60 ³ / ₄ " 26 ¹ / ₂ "
Temple of the Winds	Height Abacus Projection O/S to O/S Inside Dia.*	N/A	8 ⁷ / ₁₆ " 12 ¹ / ₈ " 4 ³ / ₈ " 12 ¹ / ₈ "	8" 11 ⁷ / ₈ " 5 ¹ / ₂ " 11 ⁷ / ₈ " 2 ⁵ / ₈ "	11 ¹ / ₂ " 15 ¹ / ₂ " 5 ¹ / ₈ " 15 ¹ / ₂ "	10 ⁵ / ₁₆ " 13 ⁷ / ₁₆ " 6" 13 ⁷ / ₁₆ " 4 ¹ / ₂ "	13 ⁷ / ₈ " 21 ¹³ / ₁₆ " 8" 21 ¹³ / ₁₆ "	11 ⁵ /8" 16 ⁹ /16" 7" 16 ⁹ /16" 5"	20 ¹ / ₂ " 25 ³ / ₄ " 9 ⁷ / ₈ " 25 ³ / ₄ "	16 ¹ / ₄ " 23 ¹ / ₄ " 10 ⁷ / ₈ " 23 ³ / ₈ " 11 ¹ / ₂ "	18 ¹ / ₄ " 26" 11 ¹ / ₈ " 26" 13 ⁷ / ₈ "	21 ¹⁵ / ₁₆ " 29 ¹⁵ / ₁₆ " 9 ³ / ₄ " 29 ¹⁵ / ₁₆ "	21 ⁷ / ₈ " 28 ³ / ₈ " 12" 28 ³ / ₈ " 15 ⁵ / ₈ "	23" 34 ³ / ₄ " 15 ¹ / ₂ " 34 ³ / ₄ " 17 ¹ / ₈ "	24 ¹ / ₈ " 35 ¹ / ₄ " 14 ⁷ / ₈ " 35 ¹ / ₄ " 19 ³ / ₈ "	27 ⁷ /8" 37 ¹ /4" 16 ¹ /8" 37 ¹ /4" 21 ³ /4"	N/A	N/A
Roman Corinthian	Height Abacus Projection O/S to O/S Inside Dia.*	N/A	10 ³ / ₄ " 13 ¹ / ₄ " 4 ¹ / ₄ " 13 ¹ / ₄ "	8 ¹¹ / ₁₆ " 12 ¹ / ₁₆ " 4 ³ / ₄ " 12 ¹ / ₁₆ " 2 ⁵ / ₈ "	13 ¹¹ / ₁₆ " 18" 6" 18"	11 ¹⁵ / ₁₆ " 14 ⁵ / ₈ " 6 ¹ / ₄ " 14 ⁵ / ₈ " 4 ¹ / ₂ "	17 ³ / ₄ " 22 ⁵ / ₈ " 7 ⁷ / ₈ " 22 ⁵ / ₈ "	14 ⁵ /8" 18 ⁷ /8" 8 ¹ /4" 18 ⁷ /8" 5"	20 ¹ / ₈ " 26 ¹ / ₄ " 8 ⁷ / ₈ " 26 ¹ / ₄ "	17 ⁵ /8" 22 ¹³ / ₁₆ " 8 ⁷ /8" 22 ¹³ / ₁₆ " 11 ¹ / ₂ "	22 ³ / ₁₆ " 32 ³ / ₈ " 14 ¹ / ₄ " 32 ³ / ₈ " 13 ⁷ / ₈ "	26 ¹ / ₂ " 37 ¹ / ₂ " 13 ³ / ₈ " 37 ¹ / ₂ "	26 ¹ / ₁₆ " 38 ⁷ / ₈ " 17 ¹ / ₂ " 38 ⁷ / ₈ " 15 ⁵ / ₈ "	28 ⁷ / ₁₆ " 41 ⁵ / ₈ " 16 ³ / ₄ " 41 ⁵ / ₈ " 17 ¹ / ₈ "	31 ⁷ / ₈ " 40 ¹ / ₄ " 16" 40 ¹ / ₄ " 19 ³ / ₈ "	34 ¹ / ₄ " 45 ¹ / ₄ " 17 ¹ / ₂ " 45 ¹ / ₄ " 21 ³ / ₄ "	N/A	N/A
Scamozzi	Height Abacus Projection O/S to O/S Inside Dia.*	N/A	3 ¹ / ₄ " 11 ¹ / ₄ " 3 ³ / ₈ " 11 ³ / ₈ "	3 ⁵ / ₈ " 9 ⁷ / ₈ " 3 ³ / ₈ " 10" 2 ⁵ / ₈ "	5" 16 ³ / ₁₆ " 5 ¹ / ₈ " 16 ³ / ₁₆ "	4 ¹ / ₈ " 14 ¹ / ₄ " 5 ³ / ₈ " 14 ¹ / ₄ " 4 ¹ / ₂ "	5 ⁵ / ₁₆ " 17 ⁷ / ₈ " 5 ¹ / ₈ " 18 ¹ / ₁₆ "	5 ¹ / ₁₆ " 16 ⁵ / ₈ " 6" 16 ⁵ / ₈ " 5"	6 ¹ /2" 20 ⁷ /8" 5 ¹ /4" 20 ⁷ /8"	5 ³ / ₄ " 18 ¹ / ₄ " 6 ⁵ / ₈ " 18 ⁵ / ₈ " 11 ¹ / ₂ "	7 ⁷ / ₁₆ " 23 ³ / ₄ " 8 ³ / ₄ " 23 ³ / ₄ " 13 ⁷ / ₈ "	8 ¹⁵ / ₁₆ " 26" 5 ¹ / ₄ " 26"	8 ³ / ₄ " 28 ⁵ / ₈ " 10 ¹ / ₄ " 28 ⁵ / ₈ " 15 ⁵ / ₈ "	8 ⁵ / ₈ " 28 ¹ / ₂ " 10 ¹ / ₄ " 28 ⁵ / ₈ " 17 ¹ / ₈ "	10 ³ / ₄ " 32" 10 ¹ / ₈ " 32" 19 ³ / ₈ "	11 ¹ / ₂ " 36" 12 ¹ / ₂ " 36" 21 ³ / ₄ "	12 ¹ / ₄ " 38 ¹ / ₄ " 13 ³ / ₄ " 38 ¹ / ₂ "	15 ¹ / ₄ " 46 ¹ / ₄ " 16 ¹ / ₈ " 46 ¹ / ₄ " 26 ¹ / ₂ "

^{*}Inside Diameter


ORNAMENTAL CAPITALS FOR ROUND PERMACAST® COLUMNS

Adding a load bearing ornamental capital to a round PermaCast® column will lengthen or shorten the overall height of the column depending on the height of the capital. Subtract the "T" dimension (from the column dimensions chart) and add the height of the ornamental capital +/- 1/4" for overall column height.

8"-12" LOAD BEARING CAPITAL



14"- 30" NON LOAD BEARING CAPITAL WITH SEPARATE LOAD BEARING PLUG




ORNAMENTAL CAPITALS FOR SQUARE PERMACAST® COLUMNS

Adding an ornamental capital to a square PermaCast® column DOES NOT change the length of the column shaft. The ornamental capital simply slides over the shaft. Neck moulding can be applied or not.







PermaTuff[™] Base with Polyurethane Cap for HB&G Round Tapered PermaCast® Columns

Introducing the "NEW" PermaTuff™ base from HB&G. Finally a base that is durable and can stand up to the physical wear and tear of everyday life, while maintaining its beauty and remaining cost effective.


Available for round tapered PermaCast® columns in 8", 10", and 12" sizes. With its lightweight material, the PermaTuff™ base is easy to install and requires little to no maintenance.

FEATURES

- Insect and Weather Proof
- Low Maintenance
- Ready to Prime and Paint
- Limited Lifetime Warranty
- Lillinea Liletilile Walfality
- Light Weight
- Rigid Tuscan Base
- Poly Tuscan Cap



 Optional PermaFlashing a 	and Installation Kit Available
--	--------------------------------



Tuscan PermaTuff™ Base and Poly Cap Dimensions											
Col. Size C D E F G H											
8"	10-1/2"	1-7/8"	2-1/2"	9-1/4"	1-1/2"	1-1/4"					
10"	13-1/8"	2-3/8"	2-7/8"	11-1/4"	1-3/4"	1-1/4"					
12"	16-1/2"	2-7/8"	3-1/4"	13-3/4"	2-1/4"	1-3/4"					



- 25 year limited warranty
- Custom styles available
- Made from cellular PVC
- Installation kit included
- Interior and exterior use
- Weather proof
- Insect proof
- Low maintenance



Custom PermaWrap® Columns

From 5" to 24" width and 2' to 20' height, you can now order the perfect custom column for your home or neighborhood project. Custom columns are manufactured using 3/8", 1/2", or 5/8" cellular PVC. Ask HB&G today how you can put a unique signature on your next custom project. Simply visit our website, www.hbgcolumns.com, or contact our Architectural Department at 1-800-264-4HBG (4424).

Two Ways to Order PermaWrap® Columns

Assembled L-Assembly

Assembled

- Manufactured from cellular PVC
- Fully Assembled (with or without post)
- Ready to Install

L-Assembly

- Manufactured from 3/8", 1/2", or 5/8" cellular PVC
- Shipped in two L-shaped halves
- Square Column Ready to Wrap Around an Existing Post
- Available in Plain, Fluted, Raised Panel, or Recessed Panel
- Craftsman Columns Available in Plain, Raised, and Recessed Panel Styles



24" x 18' Square Recessed PermaWrap® Columns

Leading the industry in column innovation, HB&G PermaWrap® columns are made from cellular PVC and offer the advantages of being unaffected by moisture and insects but with the thickness, ease of use, and workability of wood.

PermaWrap® columns are available in all sizes and styles – square or craftsman – plain, fluted, raised panel, and recessed panel. With all of these options, you are certain to find just the right amount of detail for your specific project.


Best of all, the PermaWrap® column comes with a 25-year HB&G warranty.



10" x 8' Custom Raised Panel Square PermaWrap[®] Columns and Custom Rail Design




14" x 10' Custom Raised Panel PermaWrap® Columns



*Made from polyurethane and may need to be split in the field for installation.



16" x 6' Craftsman PermaWrap® Column with Pedestal



PLAIN PERMAWRAP® DIMENSIONS (IN INCHES)

	Col Width	A	С	G	L	R	U	Lengths
Assembled	6"	5 ⁷ /8"	71/8"	1"	71/8"	9"	7"	8', 10'
	8"	77/8"	91/8"	1"	91/8"	9"	7"	8', 10', 12'
	10"	97/8"	111/8"	1"	111/8"	9"	7"	8', 10', 12'
	12"	117/8"	131/8"	1"	131/8"	9"	7"	8', 10', 12'
L Assembly	6"	5 ⁷ /8"	71/8"	1"	71/8"	9"	7"	8', 10'
	8"	77/8"	91/8"	1"	91/8"	9"	7"	8', 10', 12'
	10"	97/8"	11 ¹ / ₈ "	1"	111/8"	9"	7"	8', 10', 12'
	12"	117/8"	131/8"	1"	131/8"	9"	7"	8', 10', 12'

Inside Dimensions 45/8 8" 65/8" 10" 85/8" 105/8"



Additional sizes are available from 5" to 24" width and 2' to 20' height.

PERMAWRAP® FLUTED, RECESSED PANEL, AND Raised Panel Dimensions (In Inches)

Col Width	A	С	G	L	N	О	S*	R	U	Lengths
6"	5 ⁷ / ₈ "	71/8"	11/8"	71/8"	6"	6"	13/4"	9"	7"	6', 8', 9', 10'
8"	77/8"	91/8"	11/8"	91/8"	6"	6"	13/4"	9"	7"	6', 8', 9', 10', 12'
10"	97/8"	111/8"	11/8"	111/8"	6"	6"	13/4"	9"	7"	6', 8', 9', 10', 12'
12"	117/8"	131/8"	11/8"	131/8"	6"	6"	13/4"	9"	7"	6', 8', 9', 10', 12'

Rail breaks are 7" long and designed to fit 36" or 42" rail heights.

*S dimension for 6" raised panel is 1-1/4", 8" raised panel is 1-1/2". S dimension for fluted columns vary.

Additional sizes are available from 5" to 24" width and 2' to 20' height.

Inside Dimensions

6"	37/8"
8"	5 ⁷ /8"
10"	7 ⁷ /8"
12"	9 ⁷ /8"

Number of Flutes PER SIDE

6"	3
8"	5
10"	7
12"	8










Col Width	A	В	С	G	L	N	0	S	R	U	Lengths
12"X8"	11 ⁷ /8"	77/8"	$14^{7}/8$ "	11/8"	$10^{7}/8$ "	6"	6"	13/4"	2"	2"	54", 60", 66", 72", 96"
16"X10"	15 ⁷ /8"	97/8"	187/8"	11/8"	127/8"	6"	6"	13/4"	2"	2"	54", 60", 66", 72", 96"
20"X15"	19 ⁷ /8"	147/8"	227/8"	11/8"	17 ⁷ /8"	6"	6"	13/4"	2"	2"	54", 60", 66", 72", 96"


Additional sizes are available from 5" to 24" width and 2' to 20' height.

Inside Dimensions



	Bottom	Тор
12" x 8"	$10^{5}/8$ "	57/8"
16" x 10"	145/8"	67/8"
20" x15"	185/8"	127/8"





PERMAWRAP® PEDESTAL DIMENSIONS (IN INCHES)


Col Width	A	С	L	N	0	S	R	U	Lengths
16"	157/8"	18 ⁷ /8"	18 ⁷ / ₈ "	6"	6"	13/4"	2"	2"	40", 46"
20"	19 ⁷ /8"	227/8"	227/8"	6"	6"	13/4"	2"	2"	40", 46"
24"	237/8"	267/8"	267/8"	6"	6"	13/4"	2"	2"	40", 46"

Additional sizes are available from 5" to 24" width and 2' to 20' height.



Inside Dimensions

16"	137/8"
20"	15 ⁷ /8"
24"	217/8"



See page 16 for Ornamental Capital Dimensions.

Painting and Finishing

Caulk where required using Siroflex brand Sealant and Adhesive provided by manufacturer. Putty any holes using acrylic putty or caulk. Lightly sand or scuff surface of column. Clean surface of column to remove any dirt or hand oil residue with light detergent and water, denatured alcohol, or window cleaner. Be sure to remove soap residue with clean water. Apply one coat of 100% acrylic exterior primer and one or more finish coats of 100% acrylic exterior paint.


Do not paint columns using dark colors (dark colors are considered any color that falls within the L value of 56 to 0). L is a measure of lightness of an object and ranges from 0 (black) to 100 (white).

PermaLite® Columns

- Weather Proof
- Insect Proof
- Load Bearing
- Low Maintenance
- Lightweight
- Ready to Prime and Paint
- Limited Lifetime Warranty




The HB&G PermaLite® column is the latest addition to the HB&G synthetic column family. PermaLite® columns are cost effective, load bearing, versatile, and require very little maintenance. The PermaLite® column is available in round and square.



Round Tuscan Base

Square Tuscan Base




PermaLite® Panel Divider Kits to Convert a Single Panel Column into a 2 or 3-Panel Column

RECESSED – Includes four top panel insert pieces and four bottom panel insert pieces. **PANEL DIVIDER KITS** are available.

Kit Size	Width	Height
8" Panel Divider Kit (4 Pieces)	4 ⁷ /8"	21/4"
10" Panel Divider Kit (4 Pieces)	5 ⁵ / ₁₆ "	51/8"

1 panel kit to achieve 2-panel column. 2 panel kits to achieve 3-panel column.



See page 23 for dimension chart.

Plain and Recessed Panel Square PermaLite® Column Dimensions (in Inches)


Col. Size	A	С	D	Е	F	G	J	K	L	N	О	P	Length Avail. (ft.)
6"	5-1/2"	8-1/2"	1-1/2"	1-1/4"	1/2"	1"	7/8"	1-1/16"	8"	N/A	N/A	N/A	6, 8, 9, 10
8"	7-1/2"	11"	1-15/16"	1-11/16"	3/4"	1"	1"	1-7/16"	10-1/16"	8"	8"	3-7/8"	6, 8, 9, 10, 12
8"*	7-1/2"	10-7/16"	1-7/8"	1-11/16"	5/8"	1"	1"	1-3/8"	10-1/4"	8"	8"	3-7/8"	6, 8, 9, 10, 12
10"	9-1/2"	12-15/16"	2-1/2"	2-1/8"	3/4"	1"	1-5/16"	1-3/4"	12-3/4"	9"	9"	4-3/8"	6, 8, 9, 10, 12
10"*	9-1/2"	13-1/8"	2-3/8"	2-1/8"	3/4"	1"	1-1/4"	1-3/4"	12-3/4"	9"	9"	4-3/8"	6, 8, 9, 10, 12
12"	11-1/2"	15-1/4"	2-3/4"	2-7/16"	13/16"	1"	1-3/8"	2"	15-7/8"	N/A	N/A	N/A	6, 8, 9, 10, 12

^{*}Sim caps and bases. The remainder are poly caps and bases.

NOTES: Recessed Panel top inset -8"=8", 10"=9"; Bottom inset -8"=8", 10"=9". Neck mould is adjustable and is applied in the field. Recessed Panel available in 8" and 10" sizes only. Factory split PermaLite® columns are not available. HB&G does not recommend splitting PermaLite® columns.

Square PermaLite® Inside Dimension

Col. Width	Inside
6"	4-5/8"
8"	6-5/8"*
10"	8-5/8"*
12"	10-5/8"



^{*}Recessed Panel Inside Dimensions 8"- 5-5/8"; 10"- 7-5/8"

LOAD BEARING SPECIFICATIONS

Col. Width	Structural Load (lbs)
6"	5,000
8"	6,500
10"	7,000
12"	7,500

Round PermaLite® No-Taper Column Dimensions										
Col Size	A	В	С	D	E	F	J	K	L	Lengths
8"	7 5/8"	7 5/8"	10 1/2"	1 7/8"	1 3/4"	3/4"	1 1/4"	1 1/2"	10 5/8"	6',8',9',10'
10"	9 5/8"	9 5/8"	13 1/8"	2 3/8"	2 1/8"	3/4"	1 1/4"	1 3/4"	12 3/4"	6',8',9',10', 12'

ROUND PERMALITE® LOAD BEARING SPECIFICATIONS

Split columns are not load bearing.

COLUMN DIAMETER	STRUCTURAL LOAD
8"	8,000 lbs. Max
10"	10,000 lbs. Max

ROUND PERMALITE® DIMENSIONS

Inside diameter may vary up to 1/8". Splitting a column will decrease

dimension by ~1/8".

COLUMN SIZI	E ID
8"	73/8"
10"	93/8"



One Piece Neck Mould for 8" and 10" Round No-Taper Column Is Available.

Neck Ring Sold Seperately.

PermaSnapTM
Column Wrap

Transform a treated post into a finished column in minutes with PermaSnap™. PermaSnap™ column wrap's patented snap design permits easy installation by one person. Can also be used as a newel post wrap.



- Weather Proof
- Insect Proof

- Low Maintenance
- Made from cPVC
- Easy Installation




PermaSnap™	' Column Wrap Te	echnical Specifica	tions					
Product Description	Actual Inside Dimension	Actual Outside Dimension	Column Wrap Will Fit					
4" x 4" x 8'-6"	4" x 4" x 8'-6"	4-3/4" x 4-3/4" x 8'-6"	4" x 4" Post					
4" x 4" x 10'-0"	4" x 4" x 10'-0"	4-3/4" x 4-3/4" x 10'-0"	4" x 4" Post					
6" x 6" x 8'-6"	6" x 6" x 8'-6"	6-3/4" x 6-3/4" x 8'-6"	6" x 6" Post					
6" x 6" x 10'-0"	6" x 6" x 10'-0"	6-3/4" x 6-3/4" x 10'-0"	6" x 6" Post					
8" x 8" x 8'-6"	8-3/4" x 8-3/4" x 8'-6"	9-1/2" x 9-1/2" x 8'-6"	8" x 8" Post					
8" x 8" x 10'-0"	8-3/4" x 8-3/4" x 10'-0"	9-1/2" x 9-1/2" x 10'-0"	8" x 8" Post					
10" x 10" x 8'-6"	10-3/4" x 10-3/4" x 8'-6"	11-1/2" x 11-1/2" x 8'-6"	10" x 10" Post					
10" x 10" x 10'-0"	10-3/4" x 10-3/4" x 10'-0"	11-1/2" x 11-1/2" x 10'-0"	10" x 10" Post					
*There may be a variance	*There may be a variance of up to 1/8" in all dimensions.							

PermaSnap™ Accessories	Sizes Available				
Bed Mould Trim Kit*	4, 6, 8, and 10"				
Hampton Trim Kit	4, 6, 8, and 10"				
Chesapeake Trim Kit	4, 6, 8, and 10"				
Bed Mould XL	4, 6, 8, and 10"				
Neck Mould	4, 6, 8, and 10"				
Charleston Newel Cap	4"				
Wilmington Newel Cap	4"				
Ashbury Newel Cap	6"				
*Bed Mould Trim Kit is needed for both ends NOTE: Accessories sold separately.					














ARCHITECTURAL COLUMNS

We offer columns ranging from the timeless architectural orders to more modern no-taper rounds, squares (plain and panel), craftsman, colonial, and barrel columns. Columns are available in paint grade woods (finger-jointed pine, redwood, or cedar) for interior or exterior use or stain grade woods for interior applications (most common stain grade species are shown below). We recommend using western red cedar or heart redwood for exterior applications due to their superior natural weather-resistant characteristics. We can factory prime columns to be painted and apply asphalt coating for added protection for columns to be installed outside.

THE CLASSIC COLUMNS




Tuscan

- Simplest and strongest design
- Usually Plain rather than fluted
- Shaft length, including cap and base, is seven times diameter.




Roman Ionic

- Ornate design with decorative scrolled capital and Attic Base
- Contains 24 semicircular flutes separated by fillets
- Shaft length, including cap and base, is nine times diameter.



Roman Doric

- Next in strength and simplicity to the Tuscan cap and base contain additional moulding detail
- Usually Plain rather than fluted
- Shaft length, including cap and base, is eight times diameter.



Greek Doric

- Has no base
- Contains 20 shallow flutes that form peaks (no fillets)
- Shaft length, including cap, is five and a half times diameter.

Roman Corinthian

- Most elegant style, features an inverted bell capital adorned with acanthus leaves and an Attic Base
- Fluted in the Ionic Style
- Shaft length, including cap and base, is ten times diameter.

SHAFT SPECIFICATIONS FOR TUSCAN, ROMAN IONIC, ROMAN DORIC, AND ROMAN CORINTHIAN COLUMNS

	Bottom	Тор	Flu	ites
Shaft Nominal Diameter	Net Inside Diameter	Net Inside Diameter	Number	Width
6"	3	$2^{1}/_{2}$	24	1/2
8"	51/4	$4^{3}/_{8}$	24	11/16
10"	71/4	$6^{3}/_{8}$	24	7/8
12"	9	$7^{3}/_{4}$	24	1
14"	$10^{1}/8$	9	24	$1^{1}/_{4}$
16"	12	10	24	$1^{1}/_{4}$
18"	$14^{1}/_{4}$	12	24	$1^{1}/_{2}$
20"	16 ¹ / ₄	13	24	111/16
22"	18 ¹ / ₄	15	24	115/16
24"	201/4	17	24	$2^{1}/8$
26"	221/8	19	24	$2^{1}/_{4}$
28"	241/8	21	24	211/16





FLUTE OPTIONS




CUSTOM SPLITTING OPTIONS





ROUND STOCK WOOD COLUMNS



CAPITALS AND BASES FOR STOCK WOOD COLUMNS


Capital Dimensions for Round Columns (In Inches)


Size	of Columns	8"	10"	12"
	neter at bottom of shaft)	ROUND	ROUND	ROUND
Roman Ionic	Height Abacus Projection O/S to O/S	3 ¹⁵ / ₁₆ " 8 ¹ / ₈ " 3 ¹ / ₈ " 10 ¹ / ₂ "	4" 10 ³ / ₄ " 4 ¹ / ₈ " 13 ⁹ / ₁₆ "	4 ⁵ / ₈ " 12 ¹ / ₂ " 5" 16 ¹ / ₂ "
Greek Ionic	Height Abacus Projection O/S to O/S	4 ¹ / ₈ " 7 ¹⁵ / ₁₆ " 3 ⁵ / ₈ " 11 ⁷ / ₈ "	5 ⁵ / ₈ " 10 ¹¹ / ₁₆ " 5" 14 ¹⁵ / ₁₆ "	6 ⁹ / ₁₆ " 14 ³ / ₈ " 7 ¹ / ₂ " 20 ¹¹ / ₁₆ "
Temple of the Winds	Height Abacus Projection O/S to O/S	8" 11 ⁷ /8" 5 ¹ /2" 11 ⁷ /8"	10 ⁵ / ₁₆ " 13 ⁷ / ₁₆ " 6" 13 ⁷ / ₁₆ "	11 ⁵ / ₈ " 16 ⁹ / ₁₆ " 7" 16 ⁹ / ₁₆ "
Roman Corinthian	Height Abacus Projection O/S to O/S	8 ¹¹ / ₁₆ " 12 ¹ / ₁₆ " 4 ¹ / ₄ " 12 ¹ / ₁₆ "	11 ¹⁵ / ₁₆ " 14 ⁵ / ₈ " 6 ¹ / ₄ " 14 ⁵ / ₈ "	14 ⁵ / ₈ " 18 ⁷ / ₈ " 8 ¹ / ₄ " 18 ⁷ / ₈ "
Scamozzi	Height Abacus Projection O/S to O/S	3 ¹ / ₈ " 9 ⁷ / ₈ " 3 ³ / ₈ " 10"	4 ¹ / ₈ " 14 ¹ / ₄ " 5 ³ / ₈ " 14 ¹ / ₄ "	5 ¹ / ₁₆ " 16 ⁵ / ₈ " 6" 16 ⁵ / ₈ "

^{• 8&}quot;-12" Round Ornamental Capitals are load bearing.

8" - 12" LOAD BEARING ORNAMAENTAL CAPITALS FOR ROUND WOOD COLUMNS

Adding a load bearing ornamental capital to a round wood column will lengthen or shorten the overall height of the column depending on the height of the capital. Subtract the "T" dimension (from the column dimensions chart) and add the height of the ornamental capital $\pm 1/4$ for overall column height.





LOAD BEARING CAPACITY				
Diameter	Pine			
6"	3,000			
8"	4,100			
10"	5,500			
12"	6,600			

Capitals and bases for wood columns are load bearing. The shaft fits on the capital and base and alters the height of the shaft. Several options are offered for wood columns.

CLASSIC CAPITAL AND BASE
The Classic style is standard and best complements the wood column.

Ornamental Capitals
Five styles of ornamental capitals
are available. Nothing makes a
statement like wood columns
with an ornamental cap. 8"-12"
ornamental capitals for Round wood
columns are load bearing.

Using an ornamental capital with a wood shaft will alter the height of the shaft.

ATTIC BASE

Attic bases are used for a more ornate look and comes in two pieces. (In the chart, see DD for the plinth dimension and EE for the torus dimension.)

TIPS

When ordering an ornamental cap order the appropriate base for the column


Ornamental caps will lengthen or shorten the height of the column.
Ensure exact opening measurement prior to ordering column length.

WHAT YOU NEED TO KNOW

- The height of a column includes capital and base (Ex. 8' = shaft 7' 6¹/2" and capital and base total 8').
- Cap and base fit on top and bottom of column insulating the column from the elements.
- Split columns are not load bearing.
- For transportation purposes, small sections of split columns are left partially intact.
- Store columns in dry, well-ventilated area.
- For exterior applications: Paint inside of column shaft with a nonfibrous asphaltum type roof coating. Application must reach minimum 48" up the inside bottom of the column shaft.
- Wood columns require ventilation at the top and bottom.
- Failure to adhere to installation instructions voids the warranty.


CAPITAL AND BASE OPTIONS

The same cap and base profiles offered in PermaCast® are also available for stock wood.




For columns 8" to 12" in diameter, bases including plinth are Polyurethane.

COLUMN	BOTTOM						
SIZE	DIA. (NET)		ROUND BASE				
	A	С	DD	EE	R		
6"*	CALL	CALL	CALL	CALL	CALL		
8"	81/8"	101/4"	17/8"	31/4"	51/8"		
10"	95/8"	13"	21/2	4"	61/2"		
12"	115/8"	16"	27/8"	45/8"	7½"		



CLASSIC POLY CAP AND BASE DIMENSIONS

BASE	A	С	D	E	F	R	CAP	J	K	L
8"	7"	101/4"	17/8"	13/4"	5/8"	41/4"	8"	15/16"	15/16"	87/8"
10"	9"	121/8"	27/16"	21/8"	3/4"	55/16"	10"	11/4"	13/4"	105/8"
12"	11%"	16"	2 1/8"	2 1/8	7/8"	61/8"	12"	13/4"	21/16"	13¾"



TRADITIONAL SQUARE ALUMINUM COLUMNS

- Pre-Finished Load Bearing Low Maintenance
 - Available in Fluted, Recessed Panel, or Plain


WHITE SQUARE FLUTED COLUMN DIMENSIONS								
Col. Size	Col. Size # of Staves A B C							
4"	2"	4-1/4"	6-1/4"	1-7/8"				
6"	2"	5-1/2"	8-1/4"	2-3/4"				
8"	2"	7-1/2"	10-1/2"	2-3/4"				
10"	4"	9-3/8"	12-1/4"	3″				


	CAP AND BASE DIMENSIONS								
Col. Size	В	С	D	E					
4"	6-1/4"	1-7/8"	15/16"	4-3/8"					
6"	8-1/4"	2-3/4"	1-9/16"	5-9/16"					
8"	10-1/2"	2-3/4"	1-1/2"	7-9/16"					
10"	12-1/4"	3″	1-11/16"	9-7/16"					

SQUARE COLUMN COMPRESSION LOAD TEST RESULTS				
Column Diameter	# of Staves	Load in Pounds		
4"	2	11,000		
6"	2	12,000		
8"	2	9,000		
10"	4	17,000		

AVAILAB	LE SIZES
4" x 8"	8" x 8"
4" x 10"	8" x 9"
6" x 8"	8" x 10"
6" x 9"	10" x 8"
6" x 10"	10" x 9"
	10" x 10"








Standard Cast Aluminum Cap and Base

HERITAGE, LEGEND, AND ELITE SQUARE ALUMINUM COLUMNS

WHITE RECESSED PANEL HERITAGE COLUMN								
Nominal Size	STD. Length	s A	4		В		С	Maximum Load
6"	8′, 9′, 10)′ 5-1	/2"	8-	-1/2"	'	2-3/4"	24,000 lbs.
8"	8′, 9′, 10)′ 7-1	/2"	10)-1/2	"	2-3/4"	23,000 lbs.
TEXTURED PLAIN ELITE COLUMN								
Nominal Size	STD. Lengths	Α		В	C	D	E	Maximum Load
6"	8', 9', 10'	5-1/2"	7-1	/4"	5"	3"	10-1/2	' 17,000 lbs.
8"	8', 9', 10'	7-1/2"	9-1	/4"	5″	3″	12-1/2	' 14,000 lbs.
TEXTURED PLAIN LEGEND COLUMN								
Nominal Size	STD. Length	ıs /	4		В		c	Maximum Load
6"	8′, 9′, 10)′ 5-1	/2"	7	-1/4′	,	5"	17,000 lbs.
8″	8′, 9′, 10)′ 7-1	/2"	9	-1/4′	,	5″	14,000 lbs.



















WHITE FLUTED ROUND ALUMINUM COLUMN

Round fluted aluminum columns are no-taper and have been designed to provide a lifetime of structural integrity. Columns are pre-finished and load bearing.





STD. CAP & BASE

STANDARD CAPS AND BASES (Dimensions in inches on columns and bases)					
Col. Dia.	А	В	С	D	E
6"	5-3/4	6-1/16	7-1/2	2-1/8	1-1/16
8"	7-5/8	8	10	2-11/16	1-1/4
10"	9-9/19	10	12-1/2	3-3/8	1-5/8

	DIMENSION DATA IN INCHES					
Col. Dia.	# Staves in Whole Column	# Staves in 1/2 Column	Column O.D.	Column I.D.		
6"	3	2	5-3/4	4-15/16		
8"	3	2	7-5/8	6-13/16		
10"	4	2	9-9/16	8-3/4		

COMPRESSION LOAD TEST RESULTS				
Column Diameter	# of Staves	Load in Pounds		
6"	3	22,000		
8"	3	22,000		
10"	4	26,000		

AVAILABLE SIZES	
6" x 8"	ı
6" x 9"	ı
6" x 10"	ı
8" x 8"	ı
8" x 9"	ı
8" x 10"	ı
10" x 8"	l
10" x 9"	ı
10" x 10"	ı
	•




VINYL POST WRAP

- Designed to Dress up a Treated Square Wood Post
- Low Maintenance
- Insect and Weather Proof
- Installs in Minutes
- Perfect for Remodeling
- Limited Lifetime Warranty
- Pre-Finished White





SIZES: 4"x8.5', 4"x10', 6"x8.5', and 6"x10'





- Weather Proof
- Insect Proof
- Load Bearing up to 5,000 lbs.
- Low Maintenance
- Pre-finished White
- Ready to Install
- 25 Year Warranty




The Square PermaPost® is made from low maintenance PVC and is pre-finished white. HB&G's Colonial and Chamfered PermaPost® are made from a low maintenance polyethylene and are pre-finished

white. For a warm and inviting decorative look for your front porch, choose from either the 5" or 6" Colonial PermaPost®, the 5" Square PermaPost®, or the 6" Chamfered PermaPost®.

PermaPosts®

Perma Lamp Posts





Description

Dimensions are nominal and may vary slightly.

- 5" Colonial PermaPosts® and Perma Lamp Posts are net 4".
- 6" Colonial PermaPosts® are net 5".


Chamfered PermaPosts® and Perma Lamp Posts are net 3-1/2" (top) and 5-1/2" (bottom)

- Square posts are net 4-1/4".
- Perma Lamp Posts can accommodate most outdoor lamp fixtures.


FASTENING SYSTEMS

COLONIAL PERMAPOST®

Two (2) PermaPost® Fasteners are shipped with each colonial post.




Top View of Fastener




SQUARE PERMAPOST®

Two (2) PermaPost® Fasteners are shipped inside each post.




Top View of Fastener



PermaPost®Fastener Side View (cutaway)

WOOD PORCH POSIS

Load Bearing				
SIZE	LOAD			
4"	3,000			
5"	6,000			
6"	7,500			



Number 100 Turned Wood Post

Our No. 100 turned wood posts are available in 4", 5", and 6" nominal sizes. (Cross sections are 3-1/4", 4-1/4", and 5-1/4" net size.)


Number 100 Turned Post




erma ost

OPTIONAL PERMAPOST® FASTENING KITS

Each kit comes complete with skirt, brackets, and TapCon screws for wood or concrete substrates. Available for all PermaPost® styles.






ALUMINUM PLINTH FOR WOOD POST

Wood posts must be installed with aluminum plinths or quick mount bracket to comply with warranty.

Brackets

HB&G Polyurethane Brackets provide an inexpensive and low maintenance way to dress up your home. Choose from a wide variety of styles.

Brackets can be used with either PermaPosts® or wood posts. Enjoy a low-maintenance way to add style and decor to your front porch.



The PermaPorch Railing Collection


- Low Maintenance
- Pre-finished or can be painted
- Easy Installation
- As Versatile as Treated Lumber
- Available in Pre-Built Sections
- Deck Options Available
- 10/25 Year Warranty
- Complete Kits Available
- Ready to Install




The PermaPorch® Railing system is a beautiful way to tie your whole porch look together. It is made up of several different components, allowing you the ability to create the designs

that match your way of life. Easy to install, this worry free railing system will be a beautiful, low maintenance addition to your porch or deck for generations to come.

Porch Railing










4 Trillium





PENNINGTON






All rail sections suitable with columns (as shown) or PermaPost® * Top Rail Section must be installed on site.

Deck Railing




































Pre-Built PermaPorch® Railing


Pre-Built PermaPorch® Railing is available in a variety of styles to match your porch and deck design. The top and bottom rails are made of pre-finished weather resistant cellular PVC with aluminum inserts.




The top rail, bottom rail, and balusters are available in pre-finished white. They are made from weather resistant cellular PVC. The balusters are also available in round aluminum.














to be used in harsh and coastal conditions.

SKIRT BRACKET

CHESTERFIELD FASTENING KIT

end

28", 34"

Each kit comes complete with skirt, brackets, and TapCon screws for wood or concrete substrates.



Poly Ball Top Height 6" Width at Base 47/8"



Height 11/4" Width at Base 47/8"

CUSTOM RAIL PANELS


Custom rail panels are available. Use our custom rail patterns to creates a beautiful, one of a kind look that will set any home apart. HB&G's rail panels are designed to work with the PermaPorch® Railing top and bottom rails. They are made of cellular PVC and can be manufactured using your design or you can choose from one of the styles below. Contact a customer service representative now to order your custom rail panel.



Chippendale



Circle Center



Spiderweb

Three Ways to Order the PermaPorch® Railing...

1. Pre-built sections

- Shipped factory assembled
- Easy to install
- Everything needed to install is included
- How to order
 - Choose length 4', 6', or 8' sections
 - Choose desired style from page 33 and 34
 - Note rail height (36" or 42")
- Onsite trimming ensures exact fit

2. Do-it-yourself Kit

- Rail Section shipped in one box
- Balusters are included in box*
- Everything needed to assemble and install is included
- How to order:
 - Choose length 6' or 8'
 - Choose style Savannah or Standard
- Kit includes:
 - Savannah or Standard top rail
 - Bottom rail
 - Aluminum inserts
 - $1^{1/2}$ " x $29^{1/4}$ " square balusters
 - 8' = 18 balusters
 - 6' = 14 balusters
 - Assembly and installation hardware
 - Support block
- Available in 36" rail height only
- *Screws for balusters are not included

3. Individual Components

- Build your own design
- Mix and match components
- For a complete rail system you will need the following:
 - Top rail Standard or Savannah
 - Top insert aluminum 8', 10', 12'
 - Balusters 29¹/₄", 32", 36", and 10' (Balusters may need to be trimmed for desired rail height.)
 - Bottom rail
 - Bottom insert aluminum 8', 10', 12'
 - Support block
 - Fastening kit

Typical Assemblies Square Balusters and ALUMINUM INSERTS Top Rail Top Insert -Top Rail Fastener Balusters Bottom Rail 2-1/2" #1 Galvanized Deck Screws Bottom Insert Bottom Rail Fastener Bottom Rail Support Block -Top Rail Top Insert Rail Fastener Balusters Bottom Rail Rail Fastener Bottom Insert Bottom Rail Support Block ALUMINUM BALUSTERS WITH ALUMINUM INSERTS

CURVED PERMAPORCH® RAILING

HB&G has a wide range of PermaPorch® Railing styles and designs. With the curved PermaPorch® Railing, HB&G's line of rail products can meet the needs of any application. The curved PermaPorch® Railing, is available with either the Standard or Savannah top rail with wood inserts. Radius from 60″ to 240″ are available in 8 foot sections. Balusters sold separately. For lead time and ordering info, call 1-800-264-4HBG (4424).

HB&G recommends checking all building codes before the design and installation of your PermaPorch® railing.



BUILDER SELECT RAILING

- Limited Lifetime Warranty
- Stylish and Strong PVC Rail System
- Six Easy Installation Steps vs. 10-20 With Others
- Vibrant White UV Protected Rail System Engineered to Avoid Yellowing
- Tan Color Available (Special Order Only)
- Will Never Need Painting

- Ideal for Residential and Commercial Applications
- Meets and Exceeds all International Building Codes (IBC) and International Residential Building Codes (IRC)
- Approval for 2nd Floor and Higher Applications
- Column Installation Brackets Available
- Will Never Chip, Rust, or Splinter
- Stress Tested/Impact Resistant



Builder Select Railing combines commercial grade strength with beauty and elegance, creating a railing system that is practically maintenance free. The Builder Select Railing system has a Limited Lifetime warranty and is manufactured from stylish and strong impact resistant PVC.

Builder Select Railing has been engineered to accommodate normal temperature swings and changing climate conditions. It is manufactured from high quality rigid PVC with impact modifiers and high levels of Titanium Dioxide which resist ultraviolet degradation. As with most plastics, vinyl will become less flexible in colder weather conditions; however, unless

subjected to unusual impact, it will not break. Builder Select Railing is categorized as self-extinguishing, meaning it has a high flash point (716 degrees F) so it does not readily ignite and does not sustain combustion once the source of ignition is removed.

Meeting or exceeding all International Building Codes and all International Residential Codes allows Builder Select Railing to be used in commercial and residential construction. Installs in 6 easy steps saving time and money. Compared to the cracking, chipping, splintering, and constant painting of wood or the denting and rusting of aluminum and steel, nothing holds up better than Builder Select Railing.

COMMERCIAL








Full length Aluminum Insert Gives great strength and support to tie the rail system to the structure.

Hardware

Complete with epoxy for concrete mount or fasteners for wood mount.



11/2" Turned

32" and 38"

11/2" Square

32" and 38"

RESIDENTIAL





Newel Post Bracket Set



Column Bracket Set

CODE APPROVED NEWEL POSTS

4"x40" and 4"x45"

Commercial

Code Approved Newel Post

The HB&G Builder Select Railing system offers two newel posts. The first, seen above, is a commercial grade newel post that meets all commercial and residential building codes. The second is a residential grade newel post that meets all residential building codes. Both newel posts are designed to integrate with the Builder Select Railing system giving a beautiful look that is secure and backed by commercial and residential building code approvals.

RAILING KITS			
Rail Height	1-1/2" Square Baluster	1-1/2" Turned Baluster	
36"	6',8',10' Kits	6',8',10' Kits	
36" Slope*	6',8' Kits	6',8' Kits	
42"	6',8',10' Kits	6',8',10' Kits	
42" Slope*	6',8' Kits	6',8' Kits	
*Will Accommodate a 30-35 Degree Slope			
ADA Grab Rail Sections Available			








- Low Maintenance
- Primed White
- Ready to Install and Paint
- Easy Installation
- 25 Year Warranty



HB&G has created a unique and elegant balustrade system that can make your home stand out from the rest. These low-maintenance features are made by molding high-density urethane around structural elements in order to provide exceptional beauty,

durability, and quality. Choose from three rail sizes and several baluster profiles. Curved balustrade systems are available in 10' sections. For more information about this exceptional addition to your porch, call 800-264-4HBG (4424).

6" Balustrade System



Square

Saffron

Shannon

Shelby

Sherwood

58037

58038

58029 58030 58061

58062

58063

11/16

11/16

11/16"

51/2"

51/2

51/4

51/4"


51/4"


13/4


13/4"

13/4"

7" Balustrade System









	М	Maximum Spacing	O/C
58041	1-3/8"	1-1/4"	6-1/2"
58042	1-3/8"	1-1/4"	6-1/2"
58045	1-3/8"	1-1/4"	6-1/2"
58043	1-3/8"	1-1/4"	6-1/2"
58044	1-3/8"	1-1/4"	6-1/2"
58046	1-3/8"	1-1/4"	6-1/2"
58091	1-5/16"	1-3/8"	6-5/8"
58092	1-5/16"	1-3/8"	6-5/8"
58093	1-5/16"	1-3/8"	6-5/8"

12" Balustrade System







- -			
	М	Maximum Spacing	O/C
58051	1-3/4"	1/2"	7-1/2"
58052	1-3/4"	1/2"	7-1/2"
58053	1-3/4"	1/2"	7-1/2"
58054	2-3/4"	0"	7-1/2"
58055	2-3/4"	0"	7-1/2"
58056	1-3/4"	0"	7-1/2"

Curved Balustrade System

- 6", 7", and 12" Rail Styles
- Low Maintenance
- Primed White
- Ready to install and paint
- · Easy Installation
- 25 Year Warranty
- Available in 60"-108" radius
- Modified Radius Available in 6" and 7" systems only

HB&G Curved Balustrade System will add an elegant finishing touch to any house. Each top and bottom rail style is available in radius from 60" to 108" in 10' lengths. (See pages 40-42 for rail styles)




Building Codes

HB&G recommends checking all local, state, and national building codes before the design and installation of your balustrade system.

HB&G is not responsible or liable for any balustrade system that does not meet the requirements of the governing building code in the location where the system is installed.

The space between the bottom rail and the substrate should not be more than 2".






- Pre-finished white
- Hidden Fastening (Blind Nail)
- Can be Installed on 24" Centers
- Can be easily painted
- 1 pc. (7⁷/₈" x 12') = 7.9 sq. ft. of Coverage
- 1 pc. (7⁷/₈" x 16') = 10.5 sq. ft. of coverage


Pre-finished to match the PermaPorch® Railing, the PermaPorch® Ceiling is another low maintenance product in the HB&G PermaPorch® package. It can be used as a beaded ceiling or as an accent to any room as a dramatic wainscoting. With the PermaPorch® Ceiling, you and your family will enjoy a seamless and stylish porch ceiling for years to come. Once it's installed, it offers lasting beauty so you can sit back, relax, and enjoy the good life.



Pre-Finished

The PermaPorch® Ceiling comes pre-finished white and ready to install in 12 ft. and 16 ft. lengths. It can also be painted to match the look and feel of your home. Then, to finish it off, choose from available ceiling mouldings.





PVC PERGOLAS

Pergolas, arbors, and trellises add distinction to any outdoor environment. Made with high quality cellular PVC and PermaCast® columns, HB&G offers high quality pergolas, arbors, and trellises. Standard and premium pergolas are available in two sizes (8' and 10') with 4-10"x8' round PermaCast® columns and a complete installation kit.



- 25 Year Warranty
- High Quality Cellular PVC and Hollow PVC
- Includes Complete Installation Kit
- Standard Pergola Rafters 24" on Center
- Premium Pergola Rafters 12" on Center
- Two Stock Styles 8' and 10' Standard and Premium
- Special Order Pergolas in Custom Sizes Also Available
- Includes 4 10" Round PermaCast[®] Columns with cap and base sets

CUSTOM PERGOLAS, ARBORS, AND TRELLISES

HB&G also offers custom Pergolas, Arbors, and Trellises manufactured by our synthetic millwork craftsmen. If you need a custom height, custom length, or a custom design, HB&G is ready to help you create an outdoor feature that fits your home and lifestyle.



Custom Arbor



Custom Trellis



FIBERGLASS PERGOLAS EASY TO INSTALL...EASY TO MAINTAIN... EASY TO OWN. We make pergolas easy!



STABILITY

Fiberglass beams can span longer distances than wood or vinyl. Unlike wood, their high strength-to-weight ratio keeps them from sagging under their own weight. Unlike vinyl, they are unaffected by variations in temperature and will not sag in hot climates.

HIGH STRENGTH-TO-WEIGHT RATIO

Pound for pound, our light weight fiberglass-reinforced components are stronger than steel. This allows for quick and easy installation without the need for cranes or large crews.

CORROSION RESISTANCE

Fiberglass-reinforced composites are naturally corrosion resistant. They will not rust, corrode, or pit in external applications.

CONSISTENCY IN APPEARANCE AND PERFORMANCE

Compared to traditional materials, fiberglass components offer a uniform appearance that lasts for years. They do not twist, warp, or bow after installation and they maintain their full strength over the life of the product.

EASE OF INSTALLATION

Our pergolas are fabricated to specific dimensions, making installation easy and fast. Parts are clearly marked and all hardware is included so that your pergola can be completed in hours. Kits can also be field customized to meet specific needs. Optional wind-load/deck plates are available.

LOWER "LIFE CYCLE" COST THAN TRADITIONAL MATERIALS

Over the life of the pergola, the durability and weather resistance of fiberglass components make our products a great investment. They are virtually maintenance free and will provide many years of enjoyment.











STANDARD STOCK PERGOLAS

HB&G manufactures fiberglass pergola kits using pultrusion technology to produce the strongest yet lightest structures available with a Limited Lifetime Warranty. Our structural fiberglass components are strong, light weight, and provide a higher level of aesthetic quality than vinyl or wood pergolas.

Our stock pergola kits are manufactured white with Spartan Tails and square or no-taper round pultruded fiberglass columns without neck moulding. Optional wind-load/deck plates are available.



PERMALITE® NO-TAPER ROUND COLUMN PERGOLA KITS

Overhead Size	Column Center Size	Column Size
12' x 12'	8' X 8'	8" X 8'
14' x 14'	10' X 10'	10" X 8'
16' x 16'	12' X 12'	10" X 8'

Standard Round Wind-Load/Deck Plate - 8"
Standard Round Wind-Load/Deck Plate - 10




PERMALITE® SQUARE COLUMN PERGOLA KITS			
Overhead Size	Column Center Size	Column Size	
12' x 12'	8' X 8'	8" X 8'	
14' x 14'	10' X 10'	10" X 8'	
16' x 16'	12' X 12'	10" X 8'	
Standard Square Wind-Load/Deck Plate - 8"			
Standard Square Wind-Load/Deck Plate - 10"			

Medallions

Add character to any room with HB&G's ceiling medallions. With so many styles and sizes to choose from, you can be sure to find the products that have

the look and feel your room needs. These historically accurate accents are lightweight, durable, easy to install, and virtually maintenance free.



HB&G Building Products, Inc.'s Product Warranties

HB&G Building Products Inc. ("HB&G") extends the following Limited Warranty (the "Warranty") to "original purchasers" of its materials and components (the "Product"). An "Original Purchaser" is a retailer, distributor, builder, or supplier that purchases the Product, or the first individual homeowner who purchases the Product from a retailer, distributor, builder, or supplier, whether or not the Product has been installed. This Warranty is not transferrable to subsequent homeowners. HB&G warrants that the Product, when properly installed, shall be free of manufacturing defects in workmanship and materials under conditions of normal use

and service. If the Product fails to perform as warranted, during the associated time periods listed below for each particular Product, as a result of defective material or workmanship and meets the criteria laid forth in this Warranty, HB&G will provide replacement parts of those materials that it deems defective after its review. Installation and labor costs are NOT covered under this Warranty. Non-factory-applied finishes are NOT covered under this Warranty. Original Purchasers must look to the warranty or warranties, if any, of the paint manufacturer associated with the paint applied to the Product for recourse as to defects or any other issue concerning applied finishes.

LIMITED WARRANTY TIME PERIODS:

- PermaCast®, PermaLite®, DuraCast™, DuraLite® –
 Limited Lifetime
- Builders Select Railing, DuraLast Railing Limited Lifetime
- Aluminum Columns Limited Lifetime Component – 1 Year Color Fade
- Vinyl Post Wrap Limited Lifetime
- PermaWrap® -25 Year
- cPVC Pergola 25 Year
- Fiberglass Pergola Limited Lifetime
- PermaPost® -25 Year
- PermaSnap[™] -25 Year
- PermaPorch® Railing 25 Year Component 10 Year Color Fade
- PermaPorch® Ceiling 25 Year Component 10 Year Color Fade
- Balustrade 25 Year
- Brackets & Medallions 10 Year
- Wood Columns 1 Year
- Wood Turned Post 1 Year

GENERAL CONDITIONS & EXCLUSIONS:

This Warranty is not transferrable and it is subject to the following general conditions & exclusions:

What is not covered:

There are certain conditions or applications over which HB&G Building Products Inc. has no control. This Warranty does not cover defects or problems as a result of such conditions or applications, including but not limited to the following:

- Damage caused by improper installation, use, applications, or maintenance.
- Damage caused by environmental conditions or use that exceeds design standards.
- Damage caused by accidents, Acts of God, abuse, vandalism, animal activity, or any other external force.
- Damage resulting from mishandling in transit.
- Damages resulting from the failure to apply a finish to any purchased, unfinished Product.
- Damages caused by lack of routine maintenance, including but not limited to painting the product as needed.

Continued on page 50

HB&G Building Products, Inc.'s Product Warranties

GENERAL CONDITIONS & EXCLUSIONS:

What is not covered:

- Modifications to the column, such as splitting the column, by anyone, including but not limited to a retailer, distributor, builder, or supplier.
- Normal weathering, chalking, fading, mildew buildup, or the effects of atmospheric pollutants.
- Non-Factory Applied finishes, applied sealants, or caulking.
- Installation or labor costs.
- Improper installation, including but not limited to Installation in violation of building codes.
- Any product not manufactured by HB&G.
- Damage or distortion to the Product caused by twisting, bowing, or other movement of the structure to which the Product is attached.
- Color matching of the Product material and any other HB&G Material.

HB&G makes no other express warranties, oral or written. By purchasing or using the Product, you agree that you are not relying on any oral statements made by anyone that are in any way contrary to this Warranty. HB&G Building Products Inc.'s liability shall be limited in all instances to the remedy provided above; that is, the remedy stated above is your sole and exclusive remedy. HB&G shall not be responsible for incidental or consequential damages relating to your purchase or use of the Product.

STATUTE OF LIMITATIONS:

No action arising out of any claimed breach of this agreement by seller may be brought by buyer more than Ninety (90) Days after the cause of action has arisen.

RIGHTS MAY VARY BY STATE:

This warranty gives you specific legal rights and you may have other rights, which vary from state to state. Some states do not allow the exclusions or limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

This warranty is only applicable in the United States & Canada.



Drop Off For Take Off!

HB&G's program to help you with your take offs!

- 1. Send your plans using one of these
 - Email your plans to hbgtakeoffs@hbgcompanies.com
 - · Mail your plans to 1015 Brundige Blvd. Troy, AL 36081 Attn: Architectural Dept.
- 2. Once we have your plans, we will provide a detailed product list and drawings for

Application Pros and Cons

HB&G Continuing Education Course

HB&G offers an one hour continuing education course. This course can be given as a "lunch and learn" or taken

online at www.hbgcolumns.com,

click on the architectural corner link. For more information contact our architectural department at 1-800-264-4HBG (4424). This course is AIA and AIBD certified.





HB&G products can be purchased from:



MIX

Paper from responsible sources

FSC® C103525



1015 Brundidge Blvd. Troy, AL 36081 www.hbgcolumns.com 1-800-264-4HBG (4424)